KARCHER

B 90 R CLASSIC BP

The B 90 R Classic Bp battery powered ride-on scrubber dryer is compact, versatile, features an extended tank capacity and variable working widths (55, 65, 75 cm).









Order No.

1.161-306.0


- Very easy to use
- With operating hour counter
- For maintenance cleaning

| Technical data | | |
|--------------------------|---|--------------------|
| EAN code | | 4039784497849 |
| Drive type | | Battery |
| Traction drive | | Traction motor |
| Brush working width | Millimetre | 550 - 750 |
| Vacuum working width | Millimetre | 850 - 940 |
| Fresh/dirty water tank | Litre | 90 / 90 |
| Battery | Volt | 24 |
| Battery runtime | Hour | Maximum 3.5 |
| Brush contact pressure | Grams per square centimetre / Kilogram | 20 - 315 / 28 - 37 |
| Water consumption | Litres per minute | 3.5 |
| Sound pressure level | Decibel | 69 |
| Total permissible weight | Kilogram | 460 |
| Dimensions (L × W × H) | Millimetre | 1450 × 800 × 1200 |

This device requires instruction.

| Equipment | |
|-------------------------|--|
| Traction drive | |
| Automatic water stop | |
| ■ Included in delivery. | |

KARCHER





Extremely easy to manoeuvre

- Thanks to its very short and narrow construction style, the machine is very agile and easy to manoeuver despite large water volumes.
- The 90° steering system allows you to turn on the spot.
- A low centre of gravity ensures excellent road adherence.



Simple operation


- The basic functions are controlled with the EASY switch
- Operating hours can be viewed on the display.
- Additionally, the roller brushes ensure that water and therefore also cleaning agent are saved.



Long operating time

 Large compartment for a large battery capacity.
 Maintenance-free gel batteries in the pack variants.






















| | | Order No. | Description | L | |
|---------------------------------------|----|-------------|--|-----|--|
| DISC PADS / PAD DRIVE BOARDS | | | | | |
| Pad drive board | , | | | | |
| Pad disk complete STRONG BD75, 375 mm | 1 | 4.762-591.0 | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 75. 2 pc. required. | - 1 | |
| Disk pad BD65, 335 mm | 2 | 4.762-590.0 | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 65. 2 pc. required. | | |
| Pad drive board, 375 mm | 3 | 4.762-447.0 | Pad driver plate for cleaning with pads, 375 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75. | | |
| Pad drive board, 335 mm | 4 | 4.762-446.0 | Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65. | | |
| Microfibre pad | | | | | |
| Microfibre pad, white, 356 mm, 5 x | 5 | 6.905-060.0 | 5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65. | | |
| Pads | | | | | |
| Pad, medium-soft, red, 650 mm, 5 x | 6 | 6.371-000.0 | Medium-hard pad (650 \times 300 mm) in red version for cleaning all floors in combination with the S 65 head. | | |
| Pad, hard, brown, 650 mm, 5 x | 7 | 4.642-025.0 | Tough, brown pad (650×300 mm) including a hook and loop fastener. For restoring shine in combination with the S 65 head. Only for insensitive surfaces. | | |
| Pad, medium-soft, red, 381 mm, 5 x | 8 | 6.369-791.0 | 5 pads, medium-soft, red, 381 mm diameter. For cleaning all floors. Suitable for, e.g. D 75. | | |
| Pad, medium-hard, green, 381 mm, 5 x | 9 | 6.369-790.0 | 5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75. | | |
| Pad, hard, black, 381 mm, 5 x | 10 | 6.369-789.0 | 5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75. | | |
| Pad, medium-soft, red, 356 mm, 5 x | 11 | 6.369-003.0 | 5 pads, medium-soft, red, 356 mm diameter. For cleaning all floors. Suitable for, e.g. D 65. | | |
| Pad, medium-hard, green, 356 mm, 5 x | 12 | 6.369-002.0 | 5 pads, medium-hard, green. 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65. | | |
| Pad, hard, black, 356 mm, 5 x | 13 | 6.369-001.0 | 5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65. | | |
| Melamine pads | | | | 1 | |
| Melamine pad, Grey/white, 381 mm, 2 x | 14 | 6.371-022.0 | Melamine pad set with 381 mm diameter for our BD 80 W scrubber drier and other machines with the D 75 disc brush head. For the effective cleaning of microporous surfaces. | | |

 $[\]blacksquare$ Included in delivery. \qed Available accessories.





















| | | Order No. | Description | | |
|---|----|-------------|---|-----|--|
| DISC PADS / PAD DRIVE BOARDS | | | | Ť | |
| Melamine pads | | | | | |
| Melamine pad, Grey/white, 356 mm, 2 x | 15 | 6.371-021.0 | Melamine pad set with 356 mm diameter for our B 60 W, B 80 W, B 95 RS and B 90 R scrubber driers with the D 65 disc brush head. For the effective cleaning of microporous surfaces. | | |
| SUCTION BARS AND SQUEEGEES | | | | | |
| Suction bar, complete | | | | | |
| Squeegee, 1000 mm, V-shaped | 16 | 4.777-080.0 | Suitable for all conventional floors and with very good gliding properties on crevices: V-shaped squeegee with length of 1,000 mm and suction lips made from wear-resistant polyurethane with a long lifetime. | | |
| V-squeegee, 900 mm, V-shaped | 17 | 4.777-079.0 | 900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment. | 2 - | |
| Squeegee, 940 mm, straight | 18 | 4.777-402.0 | Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure. | | |
| Squeegee, 850 mm, straight | 19 | 4.777-401.0 | Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane. | | |
| Squeegees for suction bars | | <u>'</u> | | | |
| Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1116 mm | 20 | 6.273-024.0 | Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane. | | |
| Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1010 mm | 21 | 6.273-023.0 | Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors. | | |
| Suction lips, oil-resistant, grooved, 960 mm | 22 | 6.273-208.0 | Squeegee blade kit includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. | | |
| Rubber lip set oil resistant BR-BD530,55, oil-resistant, grooved, 890 mm | 23 | 6.273-207.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. | | |
| Suction lips, oil-resistant, slotted, 890 mm | 24 | 6.273-229.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors. | | |
| Suction lips, oil-resistant, closed, 890 mm | 25 | 6.273-290.0 | Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors. | | |
| Rubber lip set standard, Natural rubber, 890 mm | 26 | 6.273-213.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors. | | |
| ROLLER BRUSHES FOR BR | | | | | |
| Roller brush white - R75, soft, white, 700 mm | 27 | 6.907-729.0 | White roller brush for cleaning sensitive floor coverings. | | |
| Roller brush orange - R75, high / low, orange, 700 mm | 28 | 6.907-730.0 | Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings. | | |

[■] Included in delivery.

□ Available accessories.





















| | | | | _ |
|---|----|-------------|---|---|
| | | | | |
| | | Order No. | Description | |
| ROLLER BRUSHES FOR BR | | | | |
| Roller brush green - R75, hard, green, 700 mm | 29 | 6.907-731.0 | Green, abrasive roller brush for deep cleaning and removal of sticky dirt. | |
| Roller brush black - R75, very hard, black, 700 mm | 30 | 6.907-732.0 | Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| Roller brush, soft, white, 638 mm | 31 | 6.906-981.0 | Roller brush, very soft, white. Length: 638 mm.With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long. | |
| Roller brush red for replacement BR65, medium, red, 638 mm | 32 | 4.035-187.0 | Roller brush, medium-hard, red. Length: 638 mm.With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long. | |
| Roller brush, high / low, orange, 638 mm | 33 | 6.906-982.0 | Roller brush, high/low, medium-hard, orange. Length: 638 mm.With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long. | |
| Roller brush, hard, green, 638 mm | 34 | 6.906-983.0 | Roller brush, hard, green. Length: 638 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long. | |
| Roller brush, very hard, black, 638 mm | 35 | 6.906-984.0 | Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 65. | |
| DISC BRUSHES FOR BD | | | | |
| Disc brush, very soft, white, 385 mm | 36 | 4.905-019.0 | Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75. | |
| Disc brush, soft, natural, 385 mm | 37 | 4.905-020.0 | Made of natural fibres, for spray cleaning and for polishing. | |
| Disc brush, medium, red, 385 mm | 38 | 4.905-018.0 | Medium-hard disc brush (385 mm) in red version for all conventional cleaning applications. Also suitable for sensitive floors. | |
| Disc brush, hard, black, 385 mm | 39 | 4.905-021.0 | Disc brush, hard, black, 385 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long. | |
| Disc brush, very soft, white, 355 mm | 40 | 4.905-011.0 | Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm. | |
| Disc brush, soft, natural, 355 mm | 41 | 4.905-012.0 | Made of natural fibres, for spray cleaning and for polishing. Fits D 65. | |
| Disc brush, medium, red, 355 mm | 42 | 4.905-010.0 | Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Standard brush head D 65. | |

 $[\]hfill \square$ Available accessories.

B 90 R Classic Bp, 1.161-306.0, 2024-02-20

KÄRCHER



























| | | Order No. | Description | |
|------------------------------------|----|-------------|--|---|
| DISC BRUSHES FOR BD | | order no. | - Secretaria | L |
| Disc brush, hard, black, 355 mm | 43 | 4.905-013.0 | Disc brush, hard, black, 355 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long. | [|
| BRUSH HEADS | | | | t |
| Brush-head R 75 | 44 | 2.763-006.0 | Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | 2 |
| Brush-head R 65 | 45 | 2.763-004.0 | Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately. | |
| Brush-head D 75 | 46 | 2.763-005.0 | Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | - |
| Brush-head D 65 | 47 | 2.763-003.0 | Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | |
| Brush-head S 65 | 48 | 2.763-030.0 | Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners. | |
| ROLLER PADS / ROLLER PAD SHAFT | | | | |
| Roller pad shaft | | | | |
| Pad roller shaft, 638 mm | 49 | 4.762-433.0 | Roller pad shaft, aluminium For roller pads or microfibre rollers, length 638 mm. Fits brush head R 56. | |
| Microfibre shaft | | | | |
| Microfibre roller, 700 mm | 50 | 4.114-007.0 | World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75. | |
| Microfibre roller, 638 mm | 51 | 4.114-006.0 | World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-433.0. Fits on R 65. | |
| OTHER ACCESSORIES FOR BR / BD | | | | |
| Miscellaneous | | | | |
| Filling hose | 52 | 6.680-124.0 | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps. | |
| Dirty water tank filter | 53 | 6.414-976.0 | Improves airflow even when damp, thanks to modified filter material. | |
| RM Dosierstation | | | | |
| DS 3 cleaning agent dosing station | 54 | 2.641-811.0 | Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit. | |
| KITS | | | | |
| Other attachment kits | | | | |
| Suction hose accessories | 55 | 4.444-015.0 | For vacuuming water out of corners or containers (e.g. freezers). | |
| SPRAY UNITS | | | | |
| Pump spray bottle 1 l | 56 | 6.394-409.0 | 1-litre pump spray bottle – including pump and pressure tank – easy, uniform spraying for cleaning or crystallising. | Г |